Author Index Vol. 770

Achilli, M. and Romele, L.
Use of factorial experimental design for the rapid evaluation of main and interactive factors affecting linearity in calibration curves for sulfate analysis by ion chromatography 770(1997)29

Andersson, P., see Doble, P. 770(1997)291

Asaf, M., see Schofield, J. 770(1997)345

Batistoni, D.A., see Gautier, E.A. 770(1997)75

Bewsher, A., see Manning, D.A.C. 770(1997)203

Bieniek, D., see Fischer, K. 770(1997)229

Blackwell, P.A., Cave, M.R., Davis, A.E. and Malik, S.A.
Determination of chlorine and bromine in rocks by alkaline fusion with ion chromatography detection 770(1997)93

Bonn, G.K., see Klampfl, C.W. 770(1997)23

Borges, C., Caetano, C., Costa Pessoa, J., Figueiredo, M.O., Lourenço, A., Malhoa Gomes, M., Silva, T.P. and Veiga, J.P.
Monitoring the removal of soluble salts from ancient tiles by ion chromatography 770(1997)195

Bruzzoniti, M.C., Mentasti, E. and Sarzanini, C.
Divalent pairing ion for ion-interaction chromatography of sulphonates and carboxylates 770(1997)51

Bruzzoniti, M.C., Mentasti, E., Sarzanini, C. and Hajós, P.
Ion chromatographic separation of carboxylic acids. Prediction of retention data 770(1997)13

Buchberger, W. and Haider, K.
Studies on the combination of ion chromatography–particle-beam mass spectrometry with capillary columns 770(1997)59

Buchberger, W., see Klampfl, C.W. 770(1997)23

Buchberger, W., see Kuban, P. 770(1997)329

Caetano, C., see Borges, C. 770(1997)195

Campeol, F., see Verhelst, V. 770(1997)337

Cardellicchio, N., Ragone, P., Cavalli, S. and Riviello, J.
Use of ion chromatography for the determination of transition metals in the control of sewage-treatment-plant and related waters 770(1997)185

Caruel, H., see Navarro, A. 770(1997)39

Cavalli, S., see Cardellicchio, N. 770(1997)185

Cavalli, S., see Trifirò, A. 770(1997)243

Cave, M.R., see Blackwell, P.A. 770(1997)93

Chodura, A., see Fischer, K. 770(1997)229

Co, A.C., Ko, A.N., Ye, L. and Lucy, C.A.
Modification of 4-(2-pyridylazo)-resorcinol postcolumn reagent selectivity through competitive equilibria with chelating ligands 770(1997)69

Cochrane, R., see Stratford, M.R.L. 770(1997)151

Coleman, D.E., see Vanatta, L.E. 770(1997)105

Cook, K., see M. Monaghan, J. 770(1997)143

Costa Pessoa, J., see Borges, C. 770(1997)195

Crenshaw, M.D., see Vermillion, W.D. 770(1997)253

Crowther, D., see M. Monaghan, J. 770(1997)143

Dabek-Zlotorzynska, E., Piechowski, M., Liu, F., Kennedy, S. and Dlouhy, J.F
Routine determination of major anions in atmospheric aerosols by capillary electrophoresis 770(1997)349

Davis, A.E., see Blackwell, P.A. 770(1997)93

Dennis, M.F., see Everett, S.A. 770(1997)273

Dennis, M.F., see Stratford, M.R.L. 770(1997)151

Dlouhy, J.F., see Dabek-Zlotorzynska, E. 770(1997)349

Doble, P., Andersson, P. and Haddad, P.R.
Determination and prediction of transfer ratios for anions in capillary zone electrophoresis with indirect UV detection 770(1997)291

Dunne, R., see Fagan, P.A. 770(1997)175

Everett, S.A., Dennis, M.F., Patel, K.B., Wardman, P. and Stratford, M.R.L.
High-performance ion chromatography applied to free-radical mechanisms in drug design. The problem of ion analysis at high ionic strengths 770(1997)273

Everett, S.A., see Stratford, M.R.L. 770(1997)151

Fagan, P.A, Paull, B., Haddad, P.R., Dunne, R. and Kamar, H.
Ion chromatographic analysis of cyanate in gold processing samples containing large concentrations of copper(I) and other metallo–cyanide complexes 770(1997)175

Fagan, P.A. and Haddad, P.R.
Reversed-phase ion-interaction chromatography of Cu(I)–cyanide complexes 770(1997)165

Figueiredo, M.O., see Borges, C. 770(1997)195

Fischer, K., Chodura, A., Kotalik, J., Bieniek, D. and Kettrup, A.
Analysis of aliphatic carboxylic acids and amino acids in effluents of landfills, composting plants and fermentation plants by ion-exclusion and ion-exchange chromatography 770(1997)229

Fritz, J.S., see Tanaka, K. 770(1997)211

Fritz, J.S., see Thornton, M.J. 770(1997)301

Gara, D., see M. Monaghan, J. 770(1997)143

Gautier, E.A., Gettar, R.T., Servant, R.E. and Batistoni, D.A.
Surfactant-sensitized post-column reaction with xylenol orange for the determination of lanthanides by ion chromatography 770(1997)75

Gettar, R.T., see Gautier, E.A. 770(1997)75

Gherardi, S., see Trifirò, A. 770(1997)243

Glennon, J.D., Hutchinson, S., Walker, A., Harris, S.J. and McSweeney, C.C.
New fluorinated hydroxamic acid reagents for the extraction of metal ions with supercritical CO_2 770(1997)85

Gorenc, B., see Gros, N. 770(1997)119

Gros, N. and Gorenc, B.
Performance of ion chromatography in the determination of anions and cations in various natural waters with elevated mineralization 770(1997)119

Gurdale, K., see Motellier, S. 770(1997)311

Haddad, P.R.
Comparison of ion chromatography and capillary electrophoresis for the determination of inorganic ions 770(1997)281

Haddad, P.R., see Doble, P. 770(1997)291

Haddad, P.R., see Fagan, P.A. 770(1997)165

Haddad, P.R., see Fagan, P.A. 770(1997)175

Haddad, P.R., see Huang, Q. 770(1997)3
Haddad, P.R., see Kuban, P. 770(1997)329
Haddad, P.R., see Ohta, K. 770(1997)219
Haider, K., see Buchberger, W. 770(1997)59
Hajós, P., see Bruzzoniti, M.C. 770(1997)13
Harris, S.J., see Glennon, J.D. 770(1997)85
Huang, Q., Paull, B. and Haddad, P.R.
Optimisation of selectivity in the separation of metallo–cyanide complexes by ion-interaction liquid chromatography 770(1997)3
Hutchinson, S., see Glennon, J.D. 770(1997)85
Ivask, J. and Pentchuk, J.
Analysis of ions in polar ice core samples by use of large injection volumes in ion chromatography 770(1997)125
Jones, P., see Nesterenko, P.N. 770(1997)129
Kamar, H., see Fagan, P.A. 770(1997)175
Kennedy, S., see Dabek-Zlotorzynska, E. 770(1997)349
Kettrup, A., see Fischer, K. 770(1997)229
Klampfl, C.W., Buchberger, W., Rieder, G. and Bonn, G.K.
Retention behavior of carboxylic acids on highly cross-linked poly(styrene–divinylbenzene)-based and silica-based cation exchangers 770(1997)23
Ko, A.N., see Co, A.C. 770(1997)69
Koh, T., see Miura, Y. 770(1997)157
Kotalik, J., see Fischer, K. 770(1997)229
Kuban, P., Buchberger, W. and Haddad, P.R.
Determination of metallo-cyanides by capillary electrophoresis after concentration on supported liquid membranes 770(1997)329
Liu, F., see Dabek-Zlotorzynska, E. 770(1997)349
Lourenço, A., see Borges, C. 770(1997)195
Lucy, C.A., see Co, A.C. 770(1997)69
Malhoa Gomes, M., see Borges, C. 770(1997)195
Malik, S.A., see Blackwell, P.A. 770(1997)93
Manning, D.A.C. and Bewsher, A.
Determination of anions in landfill leachates by ion chromatography 770(1997)203
McSweeney, C.C., see Glennon, J.D. 770(1997)85
Mentasti, E., see Bruzzoniti, M.C. 770(1997)13
Mentasti, E., see Bruzzoniti, M.C. 770(1997)51
Miura, Y., Saitoh, A. and Koh, T.
Determination of sulfur oxyanions by ion chromatography on a silica ODS column with tetrapropylammonium salt as an ion-pairing reagent 770(1997)157
Mollie, J.-P., see Verhelst, V. 770(1997)337
Monaghan, J.M., Cook, K., Gara, D. and Crowther, D.
Determination of nitrite and nitrate in human serum 770(1997)143
Motellier, S., Gurdale, K. and Pitsch, H.
Sulfur speciation by capillary electrophoresis with indirect spectrophotometric detection: In search of a suitable carrier electrolyte to maximize sensitivity 770(1997)311
Navarro, A., Caruel, H., Rigal, L. and Phemius, P.
Continuous chromatographic separation process: simulated moving bed allowing simultaneous withdrawal of three fractions 770(1997)39
Ndagijimana, M., see Trifirò, A. 770(1997)243
Nesterenko, P.N. and Jones, P.
Single-column method of chelation ion chromatography for the analysis of trace metals in complex samples 770(1997)129
Ohta, K., Tanaka, K., Paull, B. and Haddad, P.R.
Retention behavior of alkali, alkaline earth and transition metal cations in ion chromatography with an unmodified silica gel column 770(1997)219
Ohta, K., see Tanaka, K. 770(1997)211
Parkins, C.S., see Stratford, M.R.L. 770(1997)151
Patel, K.B., see Everett, S.A. 770(1997)273
Paull, B., see Fagan, P.A. 770(1997)175
Paull, B., see Huang, Q. 770(1997)3
Paull, B., see Ohta, K. 770(1997)219
Pentchuk, J., see Ivask, J. 770(1997)125
Phemius, P., see Navarro, A. 770(1997)39
Piechowski, M., see Dabek-Zlotorzynska, E. 770(1997)349
Pitsch, H., see Motellier, S. 770(1997)311
Previdi, M.P., see Trifirò, A. 770(1997)243
Ragone, P., see Cardellicchio, N. 770(1997)185
Reschiotto, C., see Trifirò, A. 770(1997)243
Rieder, G., see Klampfl, C.W. 770(1997)23
Rigal, L., see Navarro, A. 770(1997)39
Riviello, J., see Cardellicchio, N. 770(1997)185
Romele, L., see Achilli, M. 770(1997)29
Saccani, G., see Trifirò, A. 770(1997)243
Saitoh, A., see Miura, Y. 770(1997)157
Sarzanini, C., see Bruzzoniti, M.C. 770(1997)13
Sarzanini, C., see Bruzzoniti, M.C. 770(1997)51
Schofield, J. and Asaf, M.
Analysis of sulphonated phthalocyanine dyes by capillary electrophoresis 770(1997)345
Servant, R.E., see Gautier, E.A. 770(1997)75
Silva, T.P., see Borges, C. 770(1997)195
Spotti, E., see Trifirò, A. 770(1997)243
Stöckl, D., see Van Nuwenborg, J.E. 770(1997)137
Stratford, M.R.L., Dennis, M.F., Cochrane, R., Parkins, C.S. and Everett, S.A.
The role of nitric oxide in cancer. Improved methods for measurement of nitrite and nitrate by high-performance ion chromatography 770(1997)151
Stratford, M.R.L., see Everett, S.A. 770(1997)273
Tanaka, K., Ohta, K. and Fritz, J.S.
Ion-exclusion chromatography of aliphatic carboxylic acids on a cation-exchange resin by elution with polyvinyl alcohol 770(1997)211
Tanaka, K., see Ohta, K. 770(1997)219
Taylor, G.E.
Determination of impurities in clodronic acid by anion-exchange chromatography 770(1997)261
Thienpont, L.M., see Van Nuwenborg, J.E. 770(1997)137
Thornton, M.J. and Fritz, J.S.
Separation of inorganic anions in acidic solution by capillary electrophoresis 770(1997)301
Trifirò, A., Saccani, G., Gherardi, S., Vicini, E., Spotti, E., Previdi, M.P., Ndagijimana, M., Cavalli, S. and Reschiotto, C.
Use of ion chromatography for monitoring microbial spoilage in the fruit juice industry 770(1997)243
Vanatta, L.E. and Coleman, D.E.
Calculation of detection limits for a single-laboratory ion-chromatographic method to determine parts-per-trillion ions in ultrapure water 770(1997)105
Van den Hoop, M.A.G.T. and van Staden, J.J.
Determination of phosphate in natural waters by capillary electrophoresis. Influence of solution composition on migration time and response 770(1997)321

Van Nuwenborg, J.E., Stöckl, D. and Thienpont, L.M.
Practical aspects of suppressed ion chromatography for cations in human serum 770(1997)137
Van Staden, J.J., see van den Hoop, M.A.G.T. 770(1997)321
Veiga, J.P., see Borges, C. 770(1997)195
Verhelst, V., Mollie, J.-P. and Campeol, F.
Capillary zone electrophoretic determination of ionic impurities in silicone products used for electronic applications 770(1997)337
Vermillion, W.D. and Crenshaw, M.D.
In-line respeciation: an ion-exchange ion chromatographic method applied to the separation of degradation products of chemical warfare nerve agents in soil 770(1997)253
Vicini, E., see Trifirò, A. 770(1997)243
Walker, A., see Glennon, J.D. 770(1997)85
Wardman, P., see Everett, S.A. 770(1997)273
Waterworth, J.P.
Validation of ion chromatographic methods for the trace analysis of ions in pharmacopoeial grades of water 770(1997)99
Whitehead, P.
Ultra-pure water for ion chromatography 770(1997)115
Ye, L., see Co, A.C. 770(1997)69